YOUR PARTNER IN SUCCESS

Delivering Cultural Diversity.

LIBRI.DIGITAL

eBook Delivery Guidelines

www.libri.de

1 Contents

2 Change History **5**

4 Contacts **8**

5 Delivery Process **10**

5.1 General Notes 10

5.2 Accepted File Formats 10

5.3 Delivery Time 11

6 File Naming **11**

7 File Specifications for Master Files **12**

7.1 General Notes 12

7.1.1 Approved Formats for Master Files 12

7.1.2 Multiple Formats for a Title 12

7.1.3 File Sizes 13

7.1.4 DRM (Digital Rights Management) 13

7.1.5 Accessibility 14

7.1.6 AI: Data Mining 15

7.2 Specifications for ePub Files 16

7.3 ePubs in Fixed Layout Format 16

7.4 Specifications for PDF 17

8 Special Types of Content 18

8.1 Exclusive Content 18

8.1.1 File Naming for Exclusive Content 19

8.1.2 Own ISBN for Temporary Exclusive Content 19

8.1.3 Detailed Rights for Exclusive Content 19

8.2 tolino InBook Advertising (IBA) 20

8.3 Combo Products / Supplementary Materials 20

9 Annotations 21

9.1 Cover Images 21

9.2 Previews 22

9.2.1 Publisher´s Own Previews 22

9.2.2 Automatically generated Previews for tolino Alliance Shops 23

9.2.3 Prevention of Previews 23

10 Metadata 24

10.1 General Notes 24

10.2 Release Dates 24

10.3 Prices 24

10.3.1 Non-Binding Price Recommendations for International Content 25

10.3.2 Price Intervals for Switzerland, Denmark, Norway, Sweden, and the Czech Republic 25

10.3.3 Price Reporting in the Resale Model for Switzerland and Liechtenstein 25

10.3.4 Price Promotions 27

10.4 DRM 27

10.5 Content Harmful to Minors According to § 15 Youth Protection Act & Youth Media Protection State Treaty 28

10.6 Content Not Yet Covered by the Provisions of § 15 Youth Protection Act & Youth Media Protection State Treaty, but Intended Exclusively for Adult Readers 29

10.7 tolino Family Sharing 29

10.8 Series / Collections 30

10.9 Marketing Information on Price Promotions, New Releases, and Highlight eBooks 30

10.10 ONIX 2.1 31

10.11 ONIX 3 43

2 Change History

Topic	Version/Date	Change
ePubs in Fixed Layout Format	V1.6 / 20.02.2025	Supplemented with additional notes on Fixed Layout eBooks & Text to Speech – Fixed Layout eBooks must be marked as such in the eBook files.
Specifications for ePub Files	V1.6 / 20.02.2025	Updated requirements
Specifications for PDF	V1.6 / 20.02.2025	Notes on PDF files containing many images and on the use of the PDF/UA format added
File Naming for Exclusive Content	V1.6 / 20.02.2025	Updated retailer overview
Text to Speech	V1.6 / 20.02.2025	From 28.06.2025, the reporting of T2S in ONIX will no longer be supported, see also information under Accessibility
Accessibility	V1.6 / 20.02.2025	Supplemented and expanded information
KI: Data mining	V1.6 / 20.02.2025	New
Delivery Time for Master Files	V1.6 / 20.02.2025	Supplemented and expanded information
Previous Chapters 5.2 (FTP Access) and 5.3 (FTP File Transfer)	V1.5 / 19.01.2024	This info will be provided separately when creating new business partners or upon request.
File Specifications for Master Files	V1.5 / 19.01.2024	Note on the consistency of the ePub version in ONIX and master file supplemented
DRM	V1.5 / 19.01.2024	Supplemented with notes on usage and subsequent changes to DRM values in ONIX
Combo Products/Supplementary Materials	V1.5 / 19.01.2024	New
Generation of Previews	V1.5 / 19.01.2024	Supplemented with additional notes on youth protection – reference values for automatic preview generation updated
Previews	V1.5 / 19.01.2024	Supplemented with additional notes on file size limit – supported file formats updated
Fixed Layout	V1.5 / 19.01.2024	Point specified – supported tolino clients updated
Contacts	V1.5 / 19.01.2024	Updated
Exclusive Content	V1.5 / 19.01.2024	Updated
General Notes	V1.4 / 20.01.2021	Supplemented with additional notes
Contacts	V1.4 / 20.01.2021	Updated

Exclusive Content	V1.4 / 20.01.2021	Supplemented with additional notes
Content Harmful to Minors According to JMStV	V1.4 / 20.01.2021	Clarification on reporting content subject to the Youth Media Protection Act
Marketing Information on Price Promotions, New Releases, and Highlight eBooks	V1.4 / 20.01.2021	New
tolino Family Sharing	V1.3 / 11.05.2020	Supplemented with requirements for reporting the title-based special right "Family Authorization"
Specifications for PDF Files	V1.3 / 11.05.2020	Supplemented with additional notes
Specifications for ePub Files	V1.3 / 11.05.2020	Supplemented with additional notes
Contacts	V1.3 / 11.05.2020	New overview
Reporting the EVT	V1.3 / 11.05.2020	Handling updates
Maximum File Size for Cover	V1.3 / 11.05.2020	New
eBook Formats	V1.3 / 11.05.2020	Supplemented with requirements for delivery with one ISBN for two formats
Restructuring	V1.3 / 11.05.2020	Adjustments in the document structure; additional links
Price Reporting Switzerland + Austria	v1.2 / 28.05.2019	New
Non-Binding Price Recommendations for International Content	v1.2 / 28.05.2019	New
eBook Files	v1.2 / 28.05.2019	Supplemented with new validation-relevant file requirements from tolino
ONIX Price Reporting	v1.2 / 28.05.2019	Updated
Read in Store	v1.1 / 29.03.2019	New
tolino InBook Advertising	v1.1 / 29.03.2019	New
Release Dates	v1.1 / 29.03.2019	Supplemented with additional notes
eBook Files	v1.1 / 29.03.2019	Supplemented with additional file requirements
Generation of Previews	v1.1 / 29.03.2019	Supplemented with additional notes
Complete	v1.0 / 11.02.2019	Initial

3 General Notes

These guidelines apply to all deliveries of eBook metadata and master files to Libri – both for distribution through the tolino shops and for the Libri.Digital wholesale. Please note, however, that in individual cases, different requirements apply for the respective distribution channels, which we explain separately. Currently, this specifically concerns the following topics:

- tolino Family Sharing
- File size restriction at tolino
- Automatic generation of previews for tolino
- InBook Advertising (IBA)
- Read In Store
- Exclusive Content

Thank you for your cooperation!

4 Contacts

For questions and suggestions, we are always happy to help:

Topics	Team	Contacts	eMail	eMail Functional Mailbox
Business				
Business, overarching coordination	Libri.Digital	Abike Lisa Ullrich	aullrich@libri.de	eContent@libri.de
Publisher Contracts, Rights, Conditions	Strategic Purchasing	Team		neueverlage@libri.de
Direct Terms Agreement tolino Retailer and Publisher	Libri.Digital	Selma Steffen	-	cmaas-vertraege@libri.de
Operations				
Account Setup, Change Notifications (Address, Contact Person, Company Name), Sales & Trend Reports	Libri.Digital	Selma Steffen	-	eContent@libri.de
Operations & Content Support, including FTP Connection, Delivery of Master Files & Previews, Quality Control, Product Management, Delivery Guidelines	Libri.Digital	Abike Lisa Ullrich, Anne-Sophie Karlsen, Harjot Kaur, Jana Kupffer, Joanna Mohr-Wika, Mirko Esquivel, Pascal Junghans, Selma Steffen, Victoria Naumann	-	eContent@libri.de
tolino Content & Product Development (Interface to the tolino Alliance Product Team)	Libri.Digital	Mirko Esquivel	-	eContent@libri.de
Handling of Retailer-Specific Exclusive Titles	Libri.Digital	Jana Kupffer	-	eContent@libri.de
ONIX Metadata, Cover, Initial Reporting and Updates, especially Prices & Release Dates (ET)	Metadata Management	Team	-	metadaten-digital@libri.de
Discoverability, Product Presentation, Youth Protection	Product Management, Metadata & Search	Dr. Detlef Bauer	dbauer@libri.de	-

Accounting, Credit Notes, Payments, Bank Details	Accounts Payable	-	-	kreditoren@libri.de
Marketing				
Your Information on eBook Price Promotions & Top Titles	Libri.Digital	Anne-Sophie Karlsen	-	eContent@libri.de
Marketing & Promotions in the White Label Shops operated by Libri for Independent Booksellers	Libri.Shopline / eCommerce	Nicole Kobow	-	shopline@libri.de

5 Delivery Process

5.1 General Notes

The delivery of metadata, cover images, and eBook master files is handles through an FTP server. Data delivered through other means (e.g., by eMail) cannot be processed unless there is an explicit agreement to the contrary for the individual case.

5.2 Accepted File Formats

Files	Accepted Files	Further Notes
Metadata/ONIX	.xml	Attention: Zipped xml files cannot be processed. See also: Metadata
Cover images	.jpg .png .tif	See also: Specifications for cover images
eBook master files	.epub .pdf	See also: File Specifications for Master Files
Previews	.epub .pdf	See also: Previews

- Please consider our guidelines for correct naming of files.
- **Please check before transferring files that all the requirements contained in this document are met.**

5.3 Delivery Time

Metadata and cover images can be delivered immediately as soon as the title is available for pre-order in the shops.

eBook master files should ideally be delivered 10 days, but at least 3 days before the release date to ensure a smooth process.

Please refrain from delivering incomplete or non-final versions of master files, placeholder/dummy files, etc., before publication to avoid the risk of these being mistakenly delivered on the release date (should the final version not be delivered or stored in time).

6 File Naming

Please ensure that the ISBN is provided without hyphens in the file naming.

Data	Naming Convention	Example
Metadata/ONIX	(no specification)*	(no specification)*
Cover images	<ISBN>_<Sequence>.jpg	9783123456789_1.jpg 9783123456789_2.jpg
eBook master files	<ISBN>.epub <ISBN>.pdf	9781234567891.epub 9781234567891.pdf
Previews	<ISBN>_preview.epub <ISBN>_preview.pdf	9781234567891_preview.epub 9781234567891_preview.pdf

*__Important__: Special rules apply for the metadata transfer of retailer-specific exclusive content. See: File Naming for Exclusive Content.

7 File Specifications for Master Files

7.1 General Notes

Please check before transferring eBook master files whether the respective file is valid. For files in ePub format, we recommend the free ePub-Checker, **ePub files that are not validated by the ePub-Checker may not be successfully stored at Libri.**

The accessibility level of an eBook can be checked with tools such as Ace by DAISY .

7.1.1 Approved Formats for Master Files

- ePub 3.x
- ePub 2.1
- PDF

Important: Please ensure that the reported ePub version in ONIX 2.1 or 3.0 matches the ePub version of the master file when delivering ePub master files.

7.1.2 Multiple Formats for a Title

Important: If you offer a title in multiple formats (ePub and PDF), it is required that **each format edition is assigned its own ISBN.** If you only have one ISBN available for multiple formats, we ask you to deliver **only the ePub file for the respective title**. This format is preferred by both retailers and end customers.

7.1.3 File Sizes

The following regulations currently apply to the maximum file size per distribution channel:

Distribution Channel	Format	Maximum Size	Type
tolino	ePub	500 MB	Master file
	PDF	250 MB	Master file
	ePub / PDF	100 MB	Publisher's own reading sample
Libri.Digital Wholesale	ePub	No restriction	Master file
	PDF	No restriction	Master file

Please note that eBook master files that exceed the permissible file size for tolino cannot be stored in the tolino ecosystem and therefore cannot be distributed through tolino retailers.

The distribution via Libri.Digital wholesale remains unaffected by this – please continue to send us large files if you wish to serve both distribution channels. Libri.Digital ensures that the files are distributed to the respective channels.

7.1.4 DRM (Digital Rights Management)

Please always deliver **the eBook master files without copy protection** and report the **desired copy protection via ONIX** so that it can be added during delivery.

Information on reporting copy protection can be found here for ONIX 2.1 and here for ONIX 3.

If you choose to deliver with Adobe DRM, it is necessary that the eBook master file is compatible with Adobe Content Servers. Therefore, please ensure that within the eBook master file:

- there are no incorrect names with spaces or invalid special characters within the opf file.
- the maximum character length within the opf file is not exceeded for Description (4,000 characters), Title (2,000 characters), Publisher (2,000 characters), and Creator (2,000 characters).

An important note regarding the Barrier-Free Strengthening Act, which will come into force in 2025, from the guide to creating accessible eBooks in ePub 3 format:

Hard DRM restricts the selection of reading systems, which can negatively impact accessibility. Occasionally, hard DRM results in software being able to access the titles in principle, but not all functions can be used smoothly (e.g., free font choice). Additionally, multiple uses (e.g., on a regular reading device and situationally on one with additional assistive functions) can be hindered by hard DRM. Therefore, if possible, soft DRM should be used instead, for example, by using watermarks.

For the subsequent change of a title's copy protection to Adobe DRM or watermarks, see here.

7.1.5 Accessibility

The Barrier-Free Strengthening Act (BFSG) aims to promote equal and non-discriminatory participation for people with disabilities or impairments, and older individuals. The book industry is one of the addressees of the law, which includes regulations for eBooks, eReaders, and the eCommerce sector. The Barrier-Free Strengthening Act was passed by the Bundestag on May 20, 2021, and has already been published in the Federal Law Gazette. It will come into effect in large parts on June 28, 2025, and the regulations must be applied from this date onwards. In 2022, a regulation was also issued to the Barrier-Free Strengthening Act, which specifies the accessibility requirements.

Accessibility, according to § 3 BFSG, is achieved when products and services for people with disabilities are findable, accessible, and usable in the usual manner, without special difficulty and, in principle, without external assistance. This is the case, for example, when information is provided according to the two-senses principle, meaning that for eBooks, in addition to the text, an audio output is also available.

Under the following link, you will find webinars and guides on the topic, developed by the Accessibility Taskforce of the German Publishers and Booksellers Association, which we highly recommend: Accessibility – Börsenverein

Additionally, we would like to point out the directive "European Accessibility Act" as well as the legal ordinance in the Federal Gazette.

From June 28, 2025, eBook readers and eBooks introduced to the market must be accessible for consumers.

Only ePubs from version 3.0 and PDFs in the PDF/UA2 format can be made accessible.

Libri will also read all values marked as valid only for ONIX 3.X in CodeList 196 in ONIX 2.1.

Accessibility information in ONIX should ensure that all relevant details on the accessibility of a product are clearly and completely stated.

However, the most important values from a store and end customer perspective are those that provide a statement that can be identified at a glance.

This means stating the standards or guidelines that the product complies with, such as

- WCAG (Web Content Accessibility Guidelines) version
- WCAG level
- EPUB Accessibility Specification

As well as other important accessibility features such as

- Alternative texts for images
- Structured navigation (e.g. table of contents, chapter markers)
- Customizable font sizes and contrasts
- Contact information for support with accessibility issues
- Information on whether the product has been tested and certified for accessibility by a recognized organization

Attention: It is also possible to report a contact for eBook conversions through the ProductContact area. This is only available in ONIX 3.X. Libri will not create a proprietary reporting method in ONIX 2.1. Further compliance contacts for the BFSG can be reported in the ProductFormFeature composite.

You can also find information on accessibility in the metadata here for ONIX 2.1 and here for ONIX 3.

7.1.6 AI: Data Mining

From ONIX 3.1, there is the possibility to consent to or prohibit data mining in the product metadata. Libri has accordingly adjusted its article import and also offers a proprietary solution for ONIX 2.1.

You can find the specifications here for ONIX 2.1 and here for ONIX 3.

7.2 Specifications for ePub Files

- File names within the ePub must be UTF-8 encoded and must not contain spaces.
- The (unpacked) size of an HTML section should not exceed 500 KB – we recommend adhering to the industry standard of a maximum of 300 KB.
- For ePub 2.1 only: All content files within the ePub should be referenced in the toc.ncx manifest.
- **Attention**: The following HTML tags are not supported by all tolino clients and may be ignored during display:
  - SVG, object, mediaobject, embed, video, audio, script, iframe, frame, frameset.
- No embedded Flash.
- No embedded iTunes playlists.
- Embedded SVG and JavaScript are not supported by all tolino clients.
- Image files:
  - Allowed formats: PNG and JPG (no JPEG2000). GIF and WebP graphic formats are not supported by all tolino clients.
  - Images within the file should be in the RGB color space (no CMYK).
  - Minimum size of the embedded cover: 600px at 72 dpi.
  - The individual HTML sections should not contain too many or too large image files. We recommend that the total size of all images within a section should not exceed 4 MB and the total number of images within a section should not exceed 30 images.
- Please check your ePub file for validity with the ePub-Checker before transferring it to us.
- Maximum file size for distribution via tolino: 500 MB (see also: file sizes).

7.3 ePubs in Fixed Layout Format

Attention: Fixed Layout eBooks are excluded from the use of Text to Speech in the tolino ecosystem. Please keep this in mind when producing accessible eBooks!

At this time, only the tolino webreader, the apps, and the latest eReader series (tolino shine 5th Gen./shine color/vision color) are optimized for Fixed Layout. On older eReaders, the content may not always be displayed in a reader-friendly manner. If you would like to offer your Fixed Layout titles through tolino in the future, we ask that you check these titles for compatibility in advance:

- In the free tolino webreader, you can quickly and easily upload your titles and check the display.

- If possible, please also check the display on a tolino eReader.
- Please ensure that Fixed Layout titles are marked with the value E201 in <ProductFormDetail> (Short tag <b333>) in ONIX 2.1 or ONIX 3.

Please also note the following guidelines when creating ePubs in Fixed-Layout format:

- Fixed Layout is generally not recommended for text-heavy content. Please format such titles preferably as Reflowable ePub.
- Fixed Layout ePubs must be marked with the "viewport" property in the ePub metadata. In ePub 3, the ePub metadata should ideally also contain the properties "fixed-layout" or "pre-paginated".
- Images whose dimensions exceed those of the viewport may not be displayed correctly.
- Text boxes with inline styling may result in text overlaps or incorrect positioning.

7.4 Specifications for PDF

- PDF version 1.6 or higher; must be PDF/A compliant.
- The PDF must not contain password encryption.
- No blank pages within the PDF.
- No print PDFs, no crop marks, etc.
- Images should be in RGB with a resolution of 220 dpi (no CMYK).
- Please note: Embedded multimedia objects (video, audio) cannot be played by eReaders.
- Please avoid a very high number of elements (images, tables, graphics) as these require too much memory on tolino clients.
- Please ensure that all fonts used are embedded.
- Maximum size of an uncompressed page: 10 MB.
- The PDF metadata should include a table of contents.
- No embedded scripts (JS).
- Maximum file size for distribution via tolino: 250 MB (see also: file sizes)

Please note that PDFs are only accessible if created in the PDF/UA standard. Further information can be found here.

Libri can already accept such files, but export to the tolino ecosystem is not yet possible at this time.

8 Special Types of Content

8.1 Exclusive Content

Libri enables tolino retailers to offer specific exclusive content. Examples of such products include:

- Products that are pre-orderable by all tolino retailers but immediately available at only one retailer (= temporary exclusive content).
- Products that are pre-orderable/immediately available at only one tolino retailer for a certain period and immediately available at all tolino retailers after the period ends (= temporary exclusive content).
- Products that are available at only one tolino retailer (= permanent exclusive content).
- Products that have retailer-specific covers.

Important: If you are producing **exclusive content** for a tolino retailer for the first time, please inform us **at least 3 days** before the planned delivery, as additional supplier rights need to be recorded in our systems in this case. Otherwise, the exclusive title cannot be recorded and exported to the respective tolino retailer.

The transfer of ONIX article data, cover, and eBook files for exclusive content is done as usual on our FTP server with the same access you use for your regular content delivery. Please do not create a subfolder in the MIX directory.

Please also ensure in the ONIX for exclusive content that the same manufacturer as in the initial notification is always reported in the metadata during an update. If a different manufacturer from the initial notification is reported in an update without informing Libri in advance, this will unfortunately lead to the automatic deactivation of the exclusive title.

If you wish to report a different manufacturer in an update, please inform us at least 3 working days in advance by email at eContent@libri.de so that a corresponding link between the known and the new manufacturer can be maintained at Libri.

In addition to the general delivery guidelines outlined in this document, some special provisions apply to exclusive content, the compliance with which is essential for successful storage and correct processing. Therefore, please be sure to follow the following instructions when offering exclusive content:

8.1.1 File Naming for Exclusive Content

File names for exclusive content must be supplemented with the shop abbreviation. Only if the files are correctly named can we ensure that the respective content is exported exclusively to the designated tolino retailer:

Retailer	Abbreviation
meineBUCHhandlung	_LI
Thalia	_TH
Hugendubel/eBook.de	_HU

Please name your files with the ISBN (ISBN with check digit, without hyphens), the shop abbreviation, and the format specification, as shown in the example below:

9783123456789_LI.xml

9783123456789_LI.jpg

9783123456789_LI.epub

9783123456789_preview_LI.epub

8.1.2 Own ISBN for Temporary Exclusive Content

Please always provide exclusive titles that are to be offered exclusively at a specific retailer in advance with **a separate ISBN**. Also, supplement the respective shop abbreviation in the file names here.

8.1.3 Detailed Rights for Exclusive Content

Please note that tolino-specific detail rights (Text2Speech, Family Sharing, Sample Reading allowed) must be registered and deregistered via ONIX for exclusive titles. If no corresponding information is provided in the ONIX, the rights are considered granted.

8.2 tolino InBook Advertising (IBA)

InBook Advertising (IBA) enables publishers to easily integrate special advertising links into their eBooks. These links lead directly to the product detail page of a title selected by the publisher for promotion – and automatically in the shop where the tolino customer is logged in with their own device. This shortens the path for customers to make a follow-up purchase and increases conversion.

If you would like to use InBook Advertising links in your eBooks and are not yet familiar with the process, please contact eContent@libri.de and we will be happy to provide you with instructions.

8.3 Combo Products / Supplementary Materials

Please note that we do not distribute eBooks as combination products, meaning we cannot process, deliver, or provide additional materials as separate files, such as Word, PDF, Excel, or MP3. Processing such combination products as zip files (ePub or PDF + additional materials zipped) is also not possible.

If you wish to offer corresponding additional material for a title, please ensure access to the additional material through another means (e.g., via a dedicated web access) and instead include a note in the eBook on how the associated additional material can be obtained (e.g., by providing a download link and a corresponding password).

Please also ensure to remove any references to CD supplements or other attachments from a physical combination product from the eBook and/or its description.

9 Annotations

9.1 Cover Images

	Cover Images and Additional Shop Images	Cover Images and Additional Shop Images
File Format:	JPG, TIF or PNG	JPG, TIF or PNG
Resolution:	Minimum 72 dpi	Minimum 72 dpi
Minimum Image height:	2560 px (minimum width: 1600px)	700 px
Maximum File Size:	10 MB	10 MB
Color Space:	sRGB	sRGB
Naming Convention:	For single images: <ISBN>.JPG (ISBN with check digit, without hyphens, without additions) Example: 9783421051349.JPG	For multiple images: <ISBN>_<Sequence>.JPG (ISBN with check digit, without hyphens, without additions) Example: 9783123456789_01.JPG 9783123456789_02.JPG

9.2 Previews

9.2.1 Publisher´s Own Previews

You are welcome to submit previews or sample reads of your eBooks to us. If you wish to transfer publisher-created preview files, please ensure the following naming convention to avoid overwriting the actual eBook file:

<ISBN>_preview.pdf

<ISBN>_preview.epub

Please also place your previews **in the known directory.**

If you transfer a new version of your eBook, please remember to also transfer a new preview at the same time.

Attention: In the tolino alliance, there is a **file size limit for publisher-created reading samples.** Publisher-created reading samples in both ePub and PDF format must not exceed 100 MB in size!

Please note that preview links provided as part of the ONIX message in the metadata cannot be processed by our system. This applies to both links to download preview files and links to previews embedded in widgets from third-party providers (e.g., book2look, BIC Media).

In both cases, these links are merely passed on as additional annotation information in the metadata by our system. They can be embedded in the shop homepages but cannot be displayed in the tolino apps or on tolino eReaders.

If you want your publisher-created reading sample to be used in the tolino ecosystem, it is essential that you deliver this excerpt as a separate file, in addition to the actual eBook, as described.

Important: Publisher-created reading samples are always given priority in our system. Automatic preview generation by our system only occurs if we have the right to do so and no publisher-created reading sample has been delivered.

9.2.2 Automatically generated Previews for tolino Alliance Shops

For the shops of the tolino alliance, previews can be automatically generated for use in the tolino ecosystem. For reflowable ePub files, the first 10% of the total character count of the eBook master file is used for the preview. For fixed layout ePub files, the first 10% of the **total number of HTML** files of the eBook master file is used. For PDF files, the first 10% of the **total number of pages** of the eBook master file is used.

Please note that in the following cases, a reading sample cannot be generated from an ePub:

- If a fixed layout ePub is not correctly marked as such in the opf file.
- If the master file is a multimedia ePub.

Note: Granting the right to generate a reading sample does not obligate the tolino alliance to implement it.

Attention: Please review your content intended for adult readers, which you do not necessarily classify as potentially harmful to minors (see here) to determine whether it would be advisable to forgo a reading sample from the perspective of preventive youth protection. For these titles, please either provide a publisher-created reading sample that meets the requirements of preventive youth protection or indicate in the metadata that preview generation is not allowed.

As we take the responsibilities of youth protection seriously, we would like to point out that, that in the interest of preventive youth protection, no preview links will be provided to the shops for titles, despite the existing or reported right to display a reading sample,

- that you report to us in the metadata as potentially harmful to minors.
- for titles for which you report a THEMA classification "Erotica" in combination with a reading age of 18 years and older.

This applies to both generated and publisher-created previews.

9.2.3 Prevention of Previews

Whether automatically generated previews are created for your titles is contractually agreed across publishers. If, contrary to the general contractual agreement, no preview is to be generated for a specific title, please report this with each ONIX message as well as with each ONIX update. The same applies if you wish to allow preview generation as an exception to the contractual agreement. You can find information on reporting sample read permissions in the metadata here for ONIX 2.1 and here for ONIX 3.

10 Metadata

10.1 General Notes

All metadata deliveries and metadata updates are carried out via an FTP server. The respective metadata report must be in ONIX format.

10.2 Release Dates

Please separate the strict first sale date (embargo) (ONIX 2.1 and ONIX 3) from the release date (ONIX 2.1 and ONIX 3), in your metadata reports, which is merely for informational purposes.

Remember to report the same first sale date to us as to other market participants and **announce any schedule changes** with sufficient lead time.

Important: If there are changes to already reported release dates, it is essential that all release dates are updated in the update report. If you have provided both a first sale date and a release date in the initial report, both dates must be updated; otherwise, the date not mentioned in the update report will be deleted.

Currently, we only process the release date and the first sale date (as mentioned above) from the different data that can be provided in ONIX. Other dates such as "Announcement Date" or "Trade Announcement Date" are not yet processed by us. This means that as soon as we receive metadata and assets from you, a title will be visible in the shop and possibly available for pre-order.

Please deliver your titles (metadata, eBook, and cover files) only at the time when the title is to be displayed and available for pre-order in the shops.

10.3 Prices

You can find the guidelines for reporting prices here for ONIX 2.1 and here for ONIX 3.

10.3.1 Non-Binding Price Recommendations for International Content

If you are delivering international content, please observe the regulations of the book price fixing law and report it with a non-binding price recommendation, so that our retailers have the opportunity to set their prices competitively. We reserve the right to change reported fixed prices for international content to non-binding.

Book Price Fixing Law:

"Furthermore, **imported foreign-language books** from countries without book price fixing are generally **not subject to German book price fixing**, unless they are predominantly intended for sale in Germany" (see. § 2 paragraph 2 BuchPrG, see also § 5 BuchPrG).

(Source: https://www.juraforum.de/lexikon/buchpreisbindung)

10.3.2 Price Intervals for Switzerland, Denmark, Norway, Sweden, and the Czech Republic

Please observe the price intervals applicable in these countries:

- In Switzerland, Denmark, Norway, and Sweden, the smallest interval is 5 Rappen or Øre.
  This means that prices such as 9.99 cannot be represented (only prices like 9.95 or 10.00).
- In the Czech Republic, there are no smaller units than the Krone.

Titles with price reports that do not comply with these intervals may be excluded from sale in these countries by the shop.

10.3.3 Price Reporting in the Resale Model for Switzerland and Liechtenstein

We kindly ask you to report prices for all titles for Switzerland and Liechtenstein. This is essential for the availability of your titles with tolino retailers in these countries; titles without prices in CHF cannot be sold in relevant shops in Switzerland and Liechtenstein.

Please also be sure to follow the guidelines for reporting prices (here for ONIX 2.1 and here for ONIX 3).

- Please provide an extra ONIX price block for Switzerland and Liechtenstein, in which you report prices in CHF.

Example:

ONIX 2.1:

<price>
<j148>02</j148>
<j151>8.00</j151>
<j152>CHF</j152>
<b251>CH</b251>
<j153>R</j153>
</price>

ONIX 3.0:

<price>
<x462>02</x462>
<j151>8.00</j151>
<tax>
<x470>01</x470>
<x471>R</x471>
<x472>2.5</x472>
</tax>
<j152>CHF</j152>
<territory>
<x449>CH</x449>
</territory>
</price>

Please always submit only one price per region or country to avoid delays in title processing and complaints.

10.3.4 Price Promotions

The shops connected to us are entitled to a 24-hour grace period for the mandatory processing of metadata changes. To ensure that all market participants can offer the special price at the same time, we recommend reporting promotional prices well in advance.

Please use the option in the ONIX report to specify prices with a "valid from" and "valid until" date. It is important that you also report the regular price in addition to the promotional price, so that the item remains salable after the promotional period ends.

You can find the guidelines for reporting price promotions in ONIX here for ONIX 2.1 und here for ONIX 3.

10.4 DRM

You can find the guidelines for DRM information in ONIX here for ONIX 2.1 and here for ONIX 3.

Please note:

- If you do not provide any DRM information in the ONIX reports, your eBooks will be recorded without DRM protection. If you do not want this, please be sure to contact us.
- Please refrain from using DRM for free content. We reserve the right to delist free titles with hard DRM.
  We also ask you not to deliver publisher previews or similar as free eBooks.
- Please use the specific codes for Adobe DRM or watermarking in your report for the desired copy protection, rather than the general value (01 = DRM).
- If the copy protection of a title changes to Adobe DRM or watermarking after the fact, please send us a full report (eBook master file + ONIX) so that the change in copy protection can take effect with us.

See also the information on the delivery of master files regarding DRM (Digital Rights Management).

10.5 Content Harmful to Minors According to § 15 Youth Protection Act & Youth Media Protection State Treaty

We expect that the goods offered to us and distributed through Libri are not severely harmful to minors, are not included in the lists of media harmful to minors (indexing, §§ 18, 24 JuSchG), and are not based on indexed content or modified indexed goods. All data material provided to Libri must comply with the requirements of youth protection (in particular JuSchG and JMStV).

As our supplier, you must inform Libri with the delivery of metadata about all content that falls under § 15 Youth Protection.

Act (JuSchG). This includes, among others, media that:

- contain content described in § 86, § 130, § 130a, § 131, § 184, § 184a, § 184b, or § 184c of the Criminal Code,
- glorify war,
- depict people who are dying or have been subjected to severe physical or mental suffering in a manner that violates human dignity and reflect an actual event without an overriding legitimate interest in this form of reporting,
- contain particularly realistic, cruel, and sensational depictions of gratuitous violence that dominate the event,
- depict children or adolescents in unnatural, sexually suggestive postures, or
- are obviously suitable to severely endanger the development of children or adolescents or their upbringing to become responsible and community-minded individuals.

Furthermore, you must inform Libri with the delivery of metadata about all content whose distribution is only permissible within closed user groups according to § 4 Abs. 2 JMStV or that is suitable to impair the development of children and adolescents into a responsible and community-minded personality (development-impairing offers in the sense of § 5 Abs. 1 and 2 JMStV).

We ask all aggregators to inform their content suppliers about the obligation to provide information in connection with the aforementioned content. The assessment of whether content falls under the aforementioned conditions can and must be made exclusively by the content supplier.

All content falling under these conditions must be clearly marked in the catalog data as follows:

The reporting is done in ONIX 2.1 in <Subject> composite in Thema/BIC/BISAC or in ONIX 3.0 in the <Audience>composite.

The pure age indication on the item is not a reliable identification criterion; content that falls under the aforementioned paragraphs cannot be clearly assigned based on this alone.

10.6 Content Not Yet Covered by the Provisions of § 15 Youth Protection Act & Youth Media Protection State Treaty, but Intended Exclusively for Adult Readers

We take the task of youth protection very seriously at Libri. In this context, we would like to point out that, in the interest of preventive youth protection, it is mandatory to label content intended for an adult audience with the corresponding age indication "Reading age from" 18. This applies to all erotic titles, for which a THEMA classification "Erotica" must also always be reported.

You can find information on reporting the age indication here for ONIX 2.1 and here for ONIX 3.

10.7 tolino Family Sharing

tolino users have the option to share eBooks with up to five other people within their household under certain conditions.

The prerequisites for this are:

- that the respective supplier or publisher has granted the right to share in the context of tolino Family Sharing, and
- that the respective users are registered in a "family" and live at the same address.

The granting of the necessary right is done through a contractual agreement between Libri and you as the rights holder. If you have not yet concluded such an agreement but wish to do so, please contact us.

- If you have contractually agreed to grant the right, no further action is required on your part. Libri will record the right for all your titles.
- If you wish to exclude individual titles from tolino Family Sharing aside from the basic contractual granting of the right, please report this in an ONIX message. You can find the necessary specifications here for here for ONIX 2.1 and here for ONIX 3.
- If you have not contractually agreed to grant the right, your titles will automatically be excluded from sharing via tolino Family Sharing. An additional report via ONIX is not necessary unless you wish to grant the right for some titles (**exception**: exclusive titles).

10.8 Series / Collections

Tip! Series, including those without a fixed order, are very popular. Use the opportunity to define and report the association of titles (in ONIX 2.1 in the <series> block or in ONIX 3.0 in the <collection> block) to facilitate their discoverability and thereby achieve better sales.

You can find more information on series information in here for ONIX 2.1 and here for ONIX 3.

10.9 Marketing Information on Price Promotions, New Releases, and Highlight eBooks

Feel free to use our template for reporting upcoming price promotions and new releases. You can download the corresponding template ("Libri Template Promotion New Releases") here and then send the completed form via email to eContent@libri.de.

We collect the information from all the lists we receive and compile a comprehensive list. Every Wednesday, the aggregated list is then sent to all tolino booksellers.

We also gladly accept information about highlight eBooks that appear in the media.

10.10 ONIX 2.1

Description	ONIX 2.1 (Reference Names)	ONIX 2.1 (Short Tags)	VALUE ONIX 2.1 - Specifications	Comments ONIX 2.1	Manda-tory Field
Product Identifier EAN/ISBN (starting with 4* or 9*)	<ProductIdentifier> <ProductIDType>VALUE</ProductIDType> <IDValue>VALUE</IDValue> </ProductIdentifier>	<productidentifier> <b221>VALUE</b221> <b244>VALUE</b244> </productidentifier>	ProductIDType: "03" = EAN "15" = ISBN	At least EAN or ISBN is mandatory	x
Family Authorization	<ProductFormFeature> <ProductFormFeatureType>09 </ProductFormFeatureType> <ProductFormFeatureValue>10 </ProductFormFeatureValue> <ProductFormFeatureDescription>FREE TEXT</ProductFormFeatureDescription> </ProductFormFeature>	<ProductFormFeature> <b334>09 </b334> <b335>10 </b335> <b336> FREE TEXT </b336> </ProductFormFeature>	09= E-publication accessibility detail 10= reading system accessibility options disabled (except) b336: FAMILY_AUTHORIZATION=LIMITED_PERMITTED_02 FAMILY_AUTHORIZATION=PROHIBITED_03	Necessary if other than the right in the contract granted should apply	
Read in Store	<ProductFormFeature> <ProductFormFeatureType>07</ ProductFormFeatureType> <ProductFormFeatureDescription> FREE TEXT </ProductFormFeatureDescription> </ProductFormFeature> </Product>	<ProductFormFeature> <b334>07</b334> <b336>FREE TEXT </b336> </ProductFormFeature>	07= Other system requirements b336: READ_IN_STORE_PERMITTED_01 READ_IN_STORE_PROHIBITED_03	Necessary if other than the right in the contract granted should apply	

Description	ONIX 2.1 (Reference Names)	ONIX 2.1 (Short Tags)	VALUE ONIX 2.1 - Specifications	Comments ONIX 2.1	Manda-tory Field
Text2Speech	<ProductFormFeature> <ProductFormFeatureType>09</ ProductFormFeatureType> <ProductFormFeatureValue>10</ProductFormFeatureValue> <ProductFormFeatureDescription>FREE TEXT </ProductFormFeatureDescription> </ProductFormFeature>	<ProductFormFeature> <b334>09</b334> <b334>10</b334> <b336>FREE TEXT </b336> </ProductFormFeature>	09=E-publication accessibility detail 10=No reading system accessibility options disabled b336: TEXT_TO_SPEECH_PERMITTED_01 TEXT_TO_SPEECH_PROHIBITED_03	Necessary if other than the right in the contract granted should apply **Attention:** will no longer be supported starting 28.06.2025	
Preview	<ProductFormFeature> <ProductFormFeatureType>09</ ProductFormFeatureType> <ProductFormFeatureValue>10</ProductFormFeatureValue> <ProductFormFeatureDescription>FREE TEXT </ProductFormFeatureDescription> </ProductFormFeature>	<ProductFormFeature> <b334>09</b334> <b335>10</b335> <b336>FREE TEXT </b336> </ProductFormFeature>	09=E-publication accessibility detail 10=No reading system accessibility options disabled b336: PREVIEW_PERMITTED_01 PREVIEW_PROHIBITED_03	Necessary if other than the right in the contract granted should apply	
Compatibility	<ProductFormFeatureDescription>VALUE</ProductFormFeatureDescription>	<b336>VALUE</b336>	ProductFormFeatureDescription: "Apps" "eReaders" "all"		
Publication format	<ePubType>VALUE</ePubType>	<b211>VALUE</b211>	ePubType: "002" = PDF "029" = ePub		x

Description	ONIX 2.1 (Reference Names)	ONIX 2.1 (Short Tags)	VALUE ONIX 2.1 - Specifications	Comments ONIX 2.1	Manda-tory Field
	<ProductFormDetail>VALUE</ProductFormDetail>	<b333>VALUE</b333>	ProductFormDetail: "E200" Reflowable "E201" Fixed format"		
ePub Version	<ePubTypeVersion>VALUE</ePubTypeVersion>	<b212>VALUE</b212>		Additionally see Description "Enhanced ePub3 Tags"	
Protection Type	<ePubTypeNote>VALUE</ePubTypeNote>	<b277>VALUE</b277>	SalesRestrictionDetail: 00= Unprotected 01= DRM (hard DRM) 02= Watermarking (soft DRM) 03= Adobe DRM (hard DRM)		

Description	ONIX 2.1 (Reference Names)	ONIX 2.1 (Short Tags)	VALUE ONIX 2.1 - Specifications	Comments ONIX 2.1	Manda-tory Field
Series	<Series> <SeriesIdentifier> <SeriesIDType>01</SeriesIDType> <IDTypeName>VALUE</IDTypeName> <IDValue>VALUE</IDValue> </SeriesIdentifier> <TitleOfSeries>VALUE</TitleOfSeries> </Series>	<series> <seriesidentifier> <b273>VALUE</b273> <b233>VALUE</b233> <b244>VALUE</b244> </seriesidentifier> <b018>VALUE</b018> </series>	SeriesIDType: 01= proprietary, publisher's own series ID 04=German Books in Print series ID, maintained by VLB		
Ebook's title	<Title> <TitleType>VALUE</TitleType> <TitleText>VALUE</TitleText> </Title>	<title> <b202>VALUE</b202> <b203>VALUE</b203> </title>	TitleType: "01" = Distinctive title	The text length for the title text is maximum 255 characters	x
Subtitle	<Title> <TitleType>VALUE</TitleType> <Subtitle>VALUE</Subtitle> </Title>	<title> <b202>VALUE</b202> <b029>VALUE</b029> </title>	TitleType: "01" = Distinctive title		

Description	ONIX 2.1 (Reference Names)	ONIX 2.1 (Short Tags)	VALUE ONIX 2.1 - Specifications	Comments ONIX 2.1	Manda-tory Field
Contributor	<Contributor> <ContributorRole>VALUE</ContributorRole> <BiographicalNote>VALUE</BiographicalNote> <KeyNames>VALUE</KeyNames> <NamesBeforeKey>VALUE</NamesBeforeKey> <TitlesBeforeNames>VALUE</TitlesBeforeNames> <PersonNameInverted>VALUE</PersonNameInverted> <PersonName>VALUE</PersonName> </Contributor>	<contributor> <b035>VALUE</b035> <b044>VALUE</b044> <b040>VALUE</b040> <b039>VALUE</b039> <b038>VALUE</b038> <b037>VALUE</b037> <b036>VALUE</b036> </contributor>	ContributorRole: "A01" = Author "B01" = Editor "A12" = Illustrator "B06" = Translator		
EditionType	<EditionTypeCode>VALUE</<EditionTypeCode>	<b056>VALUE</b056>	EditionTypeCode: "ABR" = Abridged "UBR" = Unabridged "ENH" = Enhanced (for ePub3)	Please note that ebooks with <editionType>ENH are not supported by some of the vendors.	
Edition	<EditionNumber>VALUE</EditionNumber>	<b057>VALUE</b057>	Only one value is allowed	<NoEdition/> will be ignored.	
Number of pages	<NumberOfPages>VALUE</NumberOfPages>	<b061>VALUE</b061>			

Description	ONIX 2.1 (Reference Names)	ONIX 2.1 (Short Tags)	VALUE ONIX 2.1 - Specifications	Comments ONIX 2.1	Manda-tory Field
Filesize	<Extent> <ExtentType>VALUE</ExtentType> <ExtentValue>VALUE</ExtentValue> <ExtentUnit>VALUE</ExtentUnit> </Extent>	<extent> <b218>VALUE</b218> <b219>VALUE</b219> <b220>VALUE</b220> </extent>	ExtentType: "22" = Filesize ExtentUnit: "17" = Bytes		
Subject Scheme Keyword and Classification	<Subject> <SubjectSchemeIdentifier>VALUE</SubjectSchemeIdentifier> <SubjectSchemeVersion>VALUE</SubjectSchemeVersion> <SubjectCode>VALUE</SubjectCode> <SubjectHeadingText>VALUE</SubjectHeadingText> </Subject> OR <MainSubject> <MainSubjectSchemeIdentifier>VALUE</MainSubjectSchemeIdentifier> <MainSubjectSchemeVersion>VALUE</MainSubjectSchemeVersion> <SubjectCode>VALUE</SubjectCode> <SubjectHeadingText>VALUE</SubjectHeadingText> </MainSubject>	<subject> <b067>VALUE</b067> <b068>VALUE</b068> <b069>VALUE</b069> <b070>VALUE</b070> </subject> OR <mainsubject> <b191>VALUE</b191> <b068>VALUE</b068> <b069>VALUE</b069> <b070>VALUE</b070> </mainsubject>	SubjectSchemeIdentifier for <mainsubject>: 10 = BISAC Subject Heading 12 = BIC subject category 26 = Warengruppen-Systematik des deutschen Buchhandels SubjectSchemeIdentifier for <subject>: 10 = BISAC Subject Heading 12 = BIC subject category 20 = keywords 24 = proprietary scheme 93 = THEMA subject 95 = THEMA qualifier	<Mainsubject> is mandatory	x

Description	ONIX 2.1 (Reference Names)	ONIX 2.1 (Short Tags)	VALUE ONIX 2.1 - Specifications	Comments ONIX 2.1	Manda-tory Field
Audience	<AudienceRange> <AudienceRangeQualifier>VALUE</AudienceRangeQualifier> <AudienceRangePrecision>VALUE</AudienceRangePrecision> > <AudienceRangeValue>VALUE</AudienceRangeValue> </AudienceRange>	<audiencerange> <b074>VALUE</b074> <b075>VALUE</b075> <b076>VALUE</b076> </audiencerange>	AudienceRangeQualifier: "18" = Reading age, years AudienceRangePrecision: "01" = exact "03" = from "04" = to	Specification must be in years only. Books for children obligatory must be reported with a reading age. Please consider the youth protection legislation: eBooks which are subject of the regulation have to be identified mandatorily with AudienceCode Type 22 and AudienceCode Value (02).	
	<audience> <AudienceCodeType> 22 = ONIX Adult audience rating (List 29), <AudienceCodeValue> Codes List 203	<audience> <b204> 22 = ONIX Adult audience rating (List 203) <b206> Codes List 203	<AudienceCodeValue> “02”= Content warning The publisher warns the content may offend parts of the adult audience (for any reason) Main value (other values are possible too)		
	<Subject> <SubjectSchemeIdentifier>VALUE</SubjectSchemeIdentifier> <SubjectCode>VALUE</SubjectCode> <SubjectHeadingText>VALUE</SubjectHeadingText> </Subject>	<subject> <b067>VALUE</b067> <b069>VALUE</b069> <b070>VALUE</b070> </subject>	<b067>= 98 Thema interest age / special interest qualifier <b069>= 5X <b070>=contains explicit or offensive material or content / enthält sexuell anstößiges oder gewaltverherrlichendes Material		

Description	ONIX 2.1 (Reference Names)	ONIX 2.1 (Short Tags)	VALUE ONIX 2.1 - Specifications	Comments ONIX 2.1	Manda-tory Field
Main description, short & long description	<OtherText> <TextTypeCode>VALUE</TextTypeCode> <TextFormat>VALUE</TextFormat> <Text>VALUE</Text> </OtherText>	<othertext> <d102>VALUE</d102> <d103>VALUE</d103> <d104>VALUE</d104> </othertext>	**TextTypeCode:** "01" = Main description "02" = Short description **Hierachy:** **Main description:** TextFormat "02","06", none **Short description:** TextTypeCode "02" / TextFormat "02","01", none, TextTypeCode "23"		
Publisher	<Publisher> <NameCodeType>VALUE</NameCodeType> <NameCodeValue>VALUE</NameCodeValue> <PublisherName>VALUE</PublisherName> </Publisher>	<publisher> <b241>VALUE</b241> <b043>VALUE</b043> <b081>VALUE</b081> </publisher>	02 = Proprietary 04 = Verkehrsnr 05 = MVB-Herstellernr		x
Date of an announced product/ Preorder	<AnnouncementDate>VALUE</AnnouncementDate>	<b086>VALUE</b086>		(Not considered at the moment)	
Publication Date	<PublicationDate>VALUE</PublicationDate>	<b003>VALUE</b003>			x

Description	ONIX 2.1 (Reference Names)	ONIX 2.1 (Short Tags)	VALUE ONIX 2.1 - Specifications	Comments ONIX 2.1	Manda-tory Field
Countries included/ excluded (sale is allowed or not allowed there)	<SalesRights> <SalesRightsType>VALUE</SalesRightsType> <RightsCountry>VALUE</RightsCountry> </SalesRights>	<salesrights> <b089>VALUE</b089> <b090>VALUE</b090> </salesrights>	SalesRightsType: 01 or 02= sale 03= not for sale	If nothing is specified, sales are permitted in all countries	
Product relation	<RelatedProduct> <RelationCode>VALUE</RelationCode> <ProductIdentifier> <ProductIDType>VALUE</ProductIDType> <IDValue>VALUE</IDValue> </ProductIdentifier> <ProductForm>VALUE</ProductForm> </RelatedProduct>	<relatedproduct> <h208>VALUE</h208> <productidentifier> <b221>VALUE</b221> <b244>VALUE</b244> </productidentifier> <b012>VALUE</b012> </relatedproduct>	RelationCode:03=Replaces 05=Replaced by 06=alternative format 11=Is other language version 13= printed product 28=enhanced version ProductIDType: 03= GTIN-13 (EAN) 15= ISBN-13		
Availability of the product	<SupplyDetail> <AvailabilityCode>VALUE</AvailabilityCode> </SupplyDetail>	<supplydetail> <j141>VALUE</j141> </supplydetail>	AvailabilityCode: IP= available OP=unavailable	Either <j141> or <j396> should be reported. If both are, set <j396> has priority.	(x)
	<SupplyDetail>. <ProductAvailability>VALUE</ProductAvailability> </SupplyDetail>	<supplydetail>. <j396>VALUE</j396> </supplydetail>	ProductAvailability: "20" = available "40"= unavailable	AvailibilityCode has priority if both are set.	(x)

Description	ONIX 2.1 (Reference Names)	ONIX 2.1 (Short Tags)	VALUE ONIX 2.1 - Specifications	Comments ONIX 2.1	Manda-tory Field
On Sale Date, product can be delivered	<SupplyDetail> <OnSaleDate>VALUE</OnSaleDate> </SupplyDetail>	<supplydetail> <j143>VALUE</j143> </supplydetail>			
The price type code that defines the sales model	<SupplyDetail> <Price> <PriceTypeCode>VALUE</PriceTypeCode> <PriceAmount>VALUE</PriceAmount> <CurrencyCode>VALUE</CurrencyCode> </Price> </SupplyDetail>	<supplydetail> <price> <j148>VALUE</j148> <j151>VALUE</j151> <j152>VALUE</j152> </price> </supplydetail>	PriceTypeCodes for „content reselling“: 02=RRP including tax 04=Fixed retail price including tax PriceTypeCode for “agency model”: 42=Publishers retail price including tax	Other pricetypes will be ignored “content reselling”: Please notice, besides the <price> composite for EUR we also need one for CHF in CH and EUR explicitly valid in AT.	x
Code identifying a country in which the price is given	<CountryCode>VALUE</CountryCode>	<b251>VALUE</b251>	-	When reporting prices for “content reselling” (Code 02 or 04): Assign also prices explicitly for CH (in currency CHF) and AT (EUR).	

Description	ONIX 2.1 (Reference Names)	ONIX 2.1 (Short Tags)	VALUE ONIX 2.1 - Specifications	Comments ONIX 2.1	Manda-tory Field
				"agency model" (Code 42): prices have to be assigned to a country: either in <supplytocountry> or <countrycode> **Please refrain from reporting multiple prices per territory.**	
Tax	<SupplyDetail> <Price> <TaxRateCode1>VALUE</TaxRateCode1> <TaxRatePercent1>VALUE</TaxRatePercent1> </Price> </SupplyDetail>	<supplydetail> <price> <j153>VALUE</j153> <j154>VALUE</j154> </price> </supplydetail>	TaxRateCode1: S= Standard R= Lower Rate	TaxRateCode1 is mandatory for DE, AT, CH. R is supported for DE, AT, CH.	
Price-Period	<PriceEffectiveFrom>VALUE</PriceEffectiveFrom> <PriceEffectiveUntil>VALUE</PriceEffectiveUntil>	<j161>VALUE</j161> <j162>VALUE</j162>	-	Please note that you have to start a new price after you ended a price	

Description	ONIX 2.1 (Reference Names)	ONIX 2.1 (Short Tags)	VALUE ONIX 2.1 - Specifications	Comments ONIX 2.1	Manda-tory Field
Accessibility	<ProductFormFeature> <ProductFormFeatureType>09</ ProductFormFeatureType> <ProductFormFeatureValue>Value</ProductFormFeatureValue></ProductFormFeature>	<ProductFormFeature> <b334>09</b334> <b335>VALUE</b335> </ProductFormFeature>	<ProductFormFeature> List 79 E-publication accessibility detail <ProductFormFeatureValue> List 196 E-publication Accessibility Details	Although most Values in List 196 are normally only used in ONIX 3.0 we implemented them all	
Hazard	<ProductFormFeature> <ProductFormFeatureType>09</ ProductFormFeatureType> <ProductFormFeatureValue>Value</ProductFormFeatureValue></ProductFormFeature>	<ProductFormFeature> <b334>12</b334> <b335>VALUE</b335> </ProductFormFeature	<ProductFormFeature> List 79 12 = US CPSIA or other international hazard warning <ProductFormFeatureValue> List 143 US CPSIA or other international hazard warning type		
Data Mining	<ProductFormFeature> <ProductFormFeatureType>09</ ProductFormFeatureType> <ProductFormFeatureValue>10</ProductFormFeatureValue> <ProductFormFeatureDescription>FREE TEXT </ProductFormFeatureDescription> </ProductFormFeature>	<ProductFormFeature> <b334>09</b334> <b335>11</b335> <b336>FREE TEXT </b336> </ProductFormFeature>	09=E-publication accessibility detail 11=Usage type List 145 Text and data mining b336: TEXT_AND_DATA_MINING_PERMITTED_01	Proprietary normally only used in ONIX 3.0	
Content Typ	<ProductContentType>VALUE<ProductContentType>	<b385>VALUE<b385> CodeList 81	Content Type Beispiel 10 = Text		

10.11 ONIX 3

Description	ONIX 3 (Reference Names)	ONIX 3 (Short Tags)	VALUE ONIX 3 - Specifications	Comments ONIX 3	Mandatory Field
Product Identifier EAN/ISBN (starting with 4* or 9*)	<ProductIdentifier> <ProductIDType>VALUE</ProductIDType> <IDValue>VALUE</IDValue> </ProductIdentifier>	<productidentifier> <b221>VALUE</b221> <b244>VALUE</b244> </productidentifier>	ProductIDType: "03" = EAN "15" = ISBN	At least EAN or ISBN is mandatory	x
Family Authorization	<DescriptiveDetail> <ePubUsageConstraint> <ePubUsageType>09</ePubUsageType> <ePubUsageStatus>VALUE</ePubUsageStatus> <ePubUsageLimit> <Quantity>5</Quantity> <ePubUsageUnit>07</ePubUsageUnit> </ePubUsageLimit> </ePubUsageConstraint> </DescriptiveDetail>	<DescriptiveDetail> <ePubUsageConstraint> <x318>09</x318> <x319>02</x319> <ePubUsageLimit> <x320>5</x320> <x321>07 </x321> <ePubUsageLimit> </ePubUsageConstraint>	ePubUsageType: 09= Multi-user license ePubUsageStatus: 02=Permitted 03=Prohibited Quantity (NOT VARIABLE, needs to be 5): Number of users the title can be shared with. <ePubUsageUnit>: 07=Concurrent users	Necessary if other than the right in the contract granted should apply	

Description	ONIX 3 (Reference Names)	ONIX 3 (Short Tags)	VALUE ONIX 3 - Specifications	Comments ONIX 3	Mandatory Field
Text2Speech	<DescriptiveDetail> <ePubUsageConstraint> <ePubUsageType>05</ePubUsageType> <ePubUsageStatus>01</ePubUsageStatus> </ePubUsageConstraint> <ePubUsageConstraint> <ePubUsageType>05</ePubUsageType> <ePubUsageStatus>03</ePubUsageStatus> </ePubUsageConstraint>	<DescriptiveDetail> <ePubUsageConstraint> <x318>05</x318> <x319>01</x319> </ePubUsageConstraint> <ePubUsageConstraint> <x318>05</x318> <x319>03</x319> </ePubUsageConstraint>	ePubUsageType: 5= Text to speech ePubUsageStatus: 01=Permitted 03=Prohibited		
Preview	<DescriptiveDetail> <ePubUsageConstraint> <ePubUsageType>01</ePubUsageType> <ePubUsageStatus>01</ePubUsageStatus> </ePubUsageConstraint> <ePubUsageConstraint> <ePubUsageType>01</ePubUsageType> <ePubUsageStatus>03</ePubUsageStatus> </ePubUsageConstraint>	<DescriptiveDetail> <ePubUsageConstraint> <x318>01</x318> <x319>01</x319> </ePubUsageConstraint> <ePubUsageConstraint> <x318>01</x318> <x319>03</x319> </ePubUsageConstraint>	ePubUsageType: 1= Preview ePubUsageStatus: 01=Permitted 03=Prohibited	Necessary if other than the right in the contract granted should apply	

Description	ONIX 3 (Reference Names)	ONIX 3 (Short Tags)	VALUE ONIX 3 - Specifications	Comments ONIX 3	Mandatory Field
Read in Store	<DescriptiveDetail> <ePubUsageConstraint> <ePubUsageType>10</ePubUsageType> <ePubUsageStatus>*VALUE*</ePubUsageStatus> </ePubUsageConstraint> </DescriptiveDetail>	<DescriptiveDetail> <ePubUsageConstraint> <x318>10</x318> <x319>VALUE</x319> </ePubUsageConstraint>	ePubUsageType: 10=Preview on premises ePubUsageStatus: 01=Permitted 03=Prohibited	Necessary if other than the right in the contract granted should apply	
Compatibility	<ProductFormFeature> <ProductFormFeatureType>VALUE</ProductFormFeatureType> <ProductFormFeatureValue>97</ProductFormFeatureValue> <ProductFormFeatureDescription>VALUE</ProductFormFeatureDescription> </ProductFormFeature>	<productformfeature> <b334>VALUE</b334> <b335>VALUE</b335> <b336>VALUE</b336> </productformfeature>	ProductFormFeatureType: “09” = E-publication accessibility detail ProductFormFeatureValue: “97“ = Compatibility tested ProductFormFeatureDescription:		
Publication format	<ProductFormDetail>VALUE</ProductFormDetail>	<b333>VALUE</b333>	ProductFormDetail: “E101"= ePub "E107" = PDF "E200" = Reflowable "E201" = Fixed format		x

Description	ONIX 3 (Reference Names)	ONIX 3 (Short Tags)	VALUE ONIX 3 - Specifications	Comments ONIX 3	Mandatory Field
ePub Version	<ProductFormFeature> <ProductFormFeatureType>VALUE</ProductFormFeatureType> <ProductFormFeatureValue>VALUE</ProductFormFeatureValue> </ProductFormFeature>	<productformfeature> <b334>VALUE</b334> <b335>VALUE</b335> </productformfeature>	ProductFormFeatureType : "10"= E-publication format version ProductFormFeatureValue: Version-Number "2" or "2.0" etc. ProductFormFeatureType: "15" = E-publication format version code ProductFormFeatureValue List 220: "101A" = ePub 2.0.1 "101B" = ePub 3.0 "101C" = ePub 3.0.1	ePub3 delivery only after approval. 101B/C will both be handled as “ePub 3”.	
Protection Type	<ePubTechnicalProtection>VALUE</ePubTechnicalProtection>	<x317>VALUE</x317>	ePubTechnicalProtection: 00= Unprotected 01 und 03= Adobe DRM (hard DRM) 02= Watermarking (soft DRM)		
Series	<Collection> <CollectionType>10</CollectionType> <SourceName>Verlagsname</SourceName> <CollectionIdentifier> <CollectionIDType>01</CollectionIDType> <IDTypeName>VALUE</IDTypeName> <IDValue>VALUE</IDValue > <CollectionIdentifier> <TitleDetail>	<Collection> <x329>10</x329> <x330>Verlagsname</x330> <CollectionIdentifier> <x344>01</x344> <b233>Publisher-ID</b233> <b244>VALUE</b244>	CollectionType: 10=Publisher Collection CollectionIDType: 01= proprietary, publisher’s own series ID 04=German Books in Print series ID, maintained by VLB		

Description	ONIX 3 (Reference Names)	ONIX 3 (Short Tags)	VALUE ONIX 3 - Specifications	Comments ONIX 3	Mandatory Field
	<TitleType>01</TitleType> <TitleElement> <TitleElementLevel>02</TitleElementLevel> <PartNumber>VALUE</PartNumber> <TitleText>VALUE</TitleText> </TitleElement> </TitleDetail> </Collection>	</CollectionIdentifier> <TitleDetail> <b202>01</b202> <TitleElement> <x409>02</x409> <b203>VALUE</b203> </TitleElement> <x410>VALUE</x410> </TitleElement> </TitleDetail> </Collection>	TitleType: 01 = Distinctive title TitleElementLevel: 02=Collection-Level		
Ebook's title	<TitleDetail> <TitleType>VALUE</TitleType> <TitleElement> <TitleElementLevel>VALUE</TitleElementLevel> <TitleText>VALUE</TitleText> </TitleElement> </TitleDetail>	<titledetail> <b202>VALUE</b202> <titleelement> <x409>VALUE</x409> <b203>VALUE</b203> </titleelement> </titledetail>	TitleType: "01" = Distinctive title TitleElementLevel: "01" = Product	The text length for the title text is maximum 255 characters	x
Subtitle	<DescriptiveDetail> <TitleDetail> <TitleType>VALUE</TitleType> <TitleElement> <Subtitle>VALUE</Subtitle> </TitleElement> </TitleDetail> </DescriptiveDetail>	<descriptivedetail> <titledetail> <b202>VALUE</b202> <titleelement> <b029>VALUE</b029> </titleelement> </titledetail> </descriptivedetail>	TitleType: "01" = Distinctive title		

Description	ONIX 3 (Reference Names)	ONIX 3 (Short Tags)	VALUE ONIX 3 - Specifications	Comments ONIX 3	Mandatory Field
Contributor	<Contributor> <ContributorRole>VALUE</ContributorRole> <BiographicalNote>VALUE</BiographicalNote> <KeyNames>VALUE</KeyNames> <NamesBeforeKey>VALUE</NamesBeforeKey> <TitlesBeforeNames>VALUE</TitlesBeforeNames> <PersonNameInverted>VALUE</PersonNameInverted> <PersonName>VALUE</PersonName> </Contributor>	<contributor> <b035>VALUE</b035> <b044>VALUE</b044> <b040>VALUE</b040> <b039>VALUE</b039> <b038>VALUE</b038> <b037>VALUE</b037> <b036>VALUE</b036> </contributor>	ContributorRole: "A01" = Author "B01" = Editor "A12" = Illustrator "B06" = Translator	Default value for author: "-"	
EditionType	<EditionType>VALUE</EditionType>	<x419>VALUE</x419>	EditionType: "ABR" = Abridged "UBR" = Unabridged "ENH" = Enhanced (for ePub3)	Please note that eBooks with <editionType>ENH are not supported by some of the vendors.	
Edition	<EditionNumber>VALUE</EditionNumber>			<NoEdition/> will be ignored.	
Number of pages	<Extent> <ExtentType>VALUE</ExtentType> <ExtentValue>VALUE</ExtentValue> <ExtentUnit>VALUE</ExtentUnit> </Extent>	<extent> <b218>VALUE</b218> <b219>VALUE</b219> <b220>VALUE</b220> </extent>	ExtentType: "00" = Main content page count "22" = Filesize ExtentUnit: "03" = Pages "17" = Bytes		
Filesize		<extent> <b218>VALUE</b218> <b219>VALUE</b219> <b220>VALUE</b220> </extent>			

Description	ONIX 3 (Reference Names)	ONIX 3 (Short Tags)	VALUE ONIX 3 - Specifications	Comments ONIX 3	Mandatory Field
Subject Scheme Keyword and Classification	<Subject> <SubjectSchemeIdentifier>VALUE</SubjectSchemeIdentifier> <SubjectSchemeVersion>VALUE</SubjectSchemeVersion> <SubjectCode>VALUE</SubjectCode> <SubjectHeadingText>VALUE</SubjectHeadingText> </Subject> </DescriptiveDetail> OR <DescriptiveDetail> <SubjectSchemeIdentifier>VALUE</SubjectSchemeIdentifier> <MainSubjectSchemeVersion>VALUE</MainSubjectSchemeVersion> <SubjectCode>VALUE</SubjectCode> <SubjectHeadingText>VALUE</SubjectHeadingText> <MainSubject/>	<product> <descriptivedetail> <subject> <b067>VALUE</b067> <b068>VALUE</b068> <b069>VALUE</b069> <b070>VALUE</b070> </subject> </descriptivedetail> </product> OR <product> <descriptivedetail> <b191>VALUE</b191> <b068>VALUE</b068> <b069>VALUE</b069> <b070>VALUE</b070> <x425/> </descriptivedetail> </product>	SubjectSchemeIdentifier for <mainsubject>: 10 = BISAC Subject Heading 12 = BIC subject category 26 = Warengruppen-Systematik des deutschen Buchhandels SubjectSchemeIdentifier for <subject>: 10 = BISAC Subject Heading 12 = BIC subject category 20 = keywords 24 = proprietary scheme 93 = THEMA subject 95 = THEMA qualifier	<Mainsubject> is mandatory	x

Description	ONIX 3 (Reference Names)	ONIX 3 (Short Tags)	VALUE ONIX 3 - Specifications	Comments ONIX 3	Mandatory Field
Audience	<DescriptiveDetail> <AudienceRange> <AudienceRangeQualifier>VALUE</AudienceRangeQualifier> <AudienceRangePrecision>VALUE</AudienceRangePrecision> <AudienceRangeValue>VALUE</AudienceRangeValue> </AudienceRange></DescriptiveDetail>	<audiencerange> <b074>VALUE</b074> <b075>VALUE</b075> <b076>VALUE</b076> </audiencerange>	AudienceRangeQualifier:"18" = Reading age, years AudienceRangePrecision:"01" = exact "03" = from "04" = to	Specification must be in years only. Books for children obligatorily must be reported with a reading age. Please consider the youth protection legislation: eBooks which are subject of the regulation have to be identified mandatorily with either AudienceCodeType 22 and AudienceCodeValue (02) Or <SubjectCode> 5X In Thema and BIC	
	<audience> <AudienceCodeType> 22 = ONIX Adult audience rating (List 29)<AudienceCodeValue> Codes List 203	<audience> <b204> 22 = ONIX Adult audience rating (List 29) <b206> Codes List 203	<AudienceCodeValue> “02”= Content warning The publisher warns the content may offend parts of the adult audience (for any reason) Main value (other values are possible too)		
	<Subject> <SubjectSchemeIdentifier>VALUE</SubjectSchemeIdentifier> <SubjectCode>VALUE</SubjectCode> <SubjectHeadingText>VALUE</SubjectHeadingText> </Subject>	<subject> <b067>VALUE</b067> <b069>VALUE</b069> <b070>VALUE</b070> </subject>	<b067>= 17 BIC reading level and special interest qualifier Or 98 Thema interest age / special interest qualifier <b069>= 5X <b070>=contains explicit or offensive material or content / enthält sexuell anstößiges oder gewaltverherrlichendes Material		

Description	ONIX 3 (Reference Names)	ONIX 3 (Short Tags)	VALUE ONIX 3 - Specifications	Comments ONIX 3	Mandatory Field
Main description, short & long description	<CollateralDetail> <TextContent> <TextType>VALUE</TextType> <ContentAudience>VALUE</ContentAudience> <Text>VALUE</Text> </TextContent> </CollateralDetail>	<subject> <b067>VALUE</b067> <b068>VALUE</b068> <b069>VALUE</b069> <b070>VALUE</b070> </subject> OR <b191>VALUE</b191> <b068>VALUE</b068> <b069>VALUE</b069> <b070>VALUE</b070> <x425/>	TextType: "02" = Short description "03" = Description ContentAudience: "00" = Unrestricted "03" = End-customers		
Publisher	<PublishingDetail> <Imprint> <ImprintIdentifier> <ImprintIDType>01</ImprintIDType> <IDTypeName>VALUE<IDTypeName> <IDValue>VALUE</IDValue> </ImprintIdentifier> <ImprintName>VALUE</ImprintName> </Imprint> <Publisher> <PublisherIdentifier> <PublisherIDType>02</PublisherIDType> <IDValue>VALUE</IDValue> </PublisherIdentifier> <PublisherName>VALUE</PublisherName> </Publisher> </PublishingDetail>	 <imprint> <imprintidentifier> <x445>01</x445> <b233>VALUE</b233> <b244>VALUE</b244> </imprintidentifier> <b079>VALUE</b079> </imprint> <publisher> <b291>01<b291> <publisheridentifier> <x447>02</x447> <b244>VALUE</b244> </publisheridentifier> <b081>VALUE</b081> </publisher>	02 = Proprietary 04 = Verkehrsnr 05 = MVB-Herstellernr		x

Description	ONIX 3 (Reference Names)	ONIX 3 (Short Tags)	VALUE ONIX 3 - Specifications	Comments ONIX 3	Mandatory Field
Date of an announced product/ Preorder	<PublishingDetail> <PublishingDate> <PublishingDateRole>VALUE</PublishingDateRole> <Date>VALUE</Date> </PublishingDate> </PublishingDetail>	<publishingdetail> <publishingdate> <x448>VALUE</x448> <date>VALUE</date> </publishingdate> </publishingdetail>	PublishingDateRole:"09" = Public Announcement Date"27"=Preorder Embargo Date	(Not considered at the moment)	
Publication Date	<PublishingDetail> <PublishingDate> <PublishingDateRole>VALUE</PublishingDateRole> <Date>VALUE</Date> </PublishingDate> </PublishingDetail>	<publishingdetail> <publishingdate> <x448>VALUE</x448> <date>VALUE</date> </publishingdate> </publishingdetail>	PublishingDateRole: "01" = Publication Date		x
Countries included/ excluded (sale is allowed or not allowed there)	<PublishingDetail> <SalesRights> <SalesRightsType>VALUE</SalesRightsType> <Territory> <CountriesIncluded>VALUE</CountriesIncluded> </Territory> </SalesRights> </PublishingDetail>	<publishingdetail> <salesrights> <b089>VALUE</b089> <territory> <x449>VALUE</x449> </territory> </salesrights> </publishingdetail>	SalesRightsType: 01 or 02= sale 03= not for sale	If nothing is specified, sales is permitted in all countries <RegionsIncluded> and <RegionsExcluded> are not supported!	

Description	ONIX 3 (Reference Names)	ONIX 3 (Short Tags)	VALUE ONIX 3 - Specifications	Comments ONIX 3	Mandatory Field
Product relation	<RelatedMaterial> <RelatedProduct> <ProductRelationCode>VALUE</ProductRelationCode> <ProductIdentifier> <ProductIDType>VALUE</ProductIDType> <IDValue>VALUE</IDValue> </ProductIdentifier> </RelatedProduct> </RelatedMaterial>	<relatedmaterial> <relatedproduct> <x455>VALUE</x455> <productidentifier> <b221>VALUE</b221> <b244>VALUE</b244> </productidentifier> <b012>VALUE</b01> </relatedproduct> </relatedmaterial>	RelationCode: 03=Replaces 05=Replaced by 06=alternative format 11=Is other language version 13= printed product 28=enhanced version ProductIDType: 03= GTIN-13 (EAN) 15= ISBN-13		
Availability of the product	<ProductSupply> <SupplyDetail> <ProductAvailability>VALUE</ProductAvailability> </SupplyDetail> </ProductSupply>	<productsupply> <supplydetail> <j396>VALUE</j396> </supplydetail> </productsupply>	ProductAvailability: "20" = available "40"= unavailable		x
On Sale Date, product can be delivered	<PublishingDetail> <PublishingDate> <PublishingDateRole>VALUE</PublishingDateRole> <Date>VALUE</Date> </PublishingDate> </PublishingDetail>	<publishingdetail> <publishingdate> <x448>VALUE</x448> <date>VALUE</date> </publishingdate> </publishingdetail>	PublishingDateRole: "02" = Embargo Date (Delivery Date)		

Description	ONIX 3 (Reference Names)	ONIX 3 (Short Tags)	VALUE ONIX 3 - Specifications	Comments ONIX 3	Mandatory Field
The price type code that defines the sales model	<ProductSupply> <SupplyDetail> <Price> <PriceType>VALUE</PriceType> <PriceAmount>VALUE</PriceAmount> <CurrencyCode>VALUE</CurrencyCode> </Price> </SupplyDetail> </ProductSupply>	<productsupply> <supplydetail> <Price> <x462>VALUE</x462> <j151>VALUE</j151> <j152>VALUE</j152> </price> </supplydetail> </productsupply>	PriceTypeCodes for „content reselling“: 02=RRP including tax 04=Fixed retail price including tax PriceTypeCode for “agency model”: 42=Publishers retail price including tax	Other price types will be ignored “content reselling”: Please notice, besides the <price> composite for EUR we also need one for CHF in CH and EUR explicitly valid in AT.	x
Code identifying a country in which the price is given	<Territory> <CountriesIncluded>VALUE</CountriesIncluded> </Territory>	<territory> <x449>VALUE</x449> </territory>	-	When reporting prices for “content reselling” (Code 02 or 04): Assign also prices explicitly for CH (in currency CHF) and AT (EUR). "agency model" (Code 42): prices have to be assigned to a country: either in <supplytocountry> or <countrycode>. CountriesExcluded and Region declarations are not supported. Please refrain from reporting multiple prices per territory.	(x)

Description	ONIX 3 (Reference Names)	ONIX 3 (Short Tags)	VALUE ONIX 3 - Specifications	Comments ONIX 3	Mandatory Field
Tax	<Tax> <TaxType>01</TaxType> <TaxRateCode>VALUE</TaxRateCode> <TaxRatePercent>VALUE </TaxRatePercent> </Tax>	<tax> <x470>01</x470> <x471>VALUE</x471> <x472>VALUE</x472> </tax>	TaxRateCode: S= Standard R= Lower Rate TaxType: 01 = VAT	<TaxType>: Only VAT (TaxType = 01) supported. R is supported for CH, S for DE, AT. 'Reporting prices "agency model" you have to consider that it is mandatory to name the TaxRatePercent when you report the tax composite.	
Price-Period	<PriceDate> <PriceDateRole>VALUE</PriceDateRole> <Date>VALUE</Date> </PriceDate>	<pricedate> <x476>VALUE</x476> <date>VALUE</date> </pricedate>	PriceDateRole: "14" = Price valid from "15" = Price valid until	Please note that you have to start a price new after you ended a price (using code 15 you always have to send a code 14)	

Description	ONIX 3 (Reference Names)	ONIX 3 (Short Tags)	VALUE ONIX 3 - Specifications	Comments ONIX 3	Mandatory Field
Accessibility	<ProductFormFeature> <ProductFormFeatureType>09</ ProductFormFeatureType> <ProductFormFeatureValue>Value</ProductFormFeature Value</ProductFormFeature>	<ProductFormFeature> <b334>09</b334> <b335>VALUE</b335> </ProductFormFeature>	<ProductFormFeature> List 79 E-publication accessibility detail <ProductFormFeatureValue> List 196 E-publication Accessibility Details		
Hazard	<ProductFormFeature> <ProductFormFeatureType>09</ ProductFormFeatureType> <ProductFormFeatureValue>Value</ProductFormFeature Value</ProductFormFeature>	<ProductFormFeature> <b334>12</b334> <b335>VALUE</b335> </ProductFormFeature	<ProductFormFeature> List 79 12 = US CPSIA or other international hazard warning <ProductFormFeatureValue> List 143 US CPSIA or other international hazard warning type		
Data Mining	<EpubUsageType>11<EpubUsageType> <EpubUsageStatus>VALUE<EpubUsageStatus>	<X318>11<X318> <X319>VALUE<X319>	List 145 List 146 = 01 permitted 03 prohibited		
ePub Type Version	<ProductFormFeature> <ProductFormFeatureType>10</ ProductFormFeatureType> <ProductFormFeatureValue>Value</ProductFormFeature Value</ProductFormFeature>	<ProductFormFeature> <b334>10</b334> <b335>VALUE</b335> </ProductFormFeature>	<ProductFormFeature> List 79 15 =E-publication format version code oder 10 =E-publication format version <ProductFormFeatureValue> List 220 E-publication version number		

Description	ONIX 3 (Reference Names)	ONIX 3 (Short Tags)	VALUE ONIX 3 - Specifications	Comments ONIX 3	Mandatory Field
Contact information for eBook conversions	<productcontact> <productcontactidentifier> <ProductContactName> or / and <ContactName> or / and <EmailAddress>	<x482>01</x482> <x483>04</x483> <x484> e.g. Little Brown Book Group <x299>e.g.Jackie Brown, tel +44 20 7946 0921 <j272>e.g. Jackie.brown@bigpublisher.co.uk	<productcontact> List 198 01 = Accessibility request contact <productcontactidentifier> List 44 04 = Börsenverein Verkehrsnummer 05 = German ISBN Agency publisher identifier		